



भारतीय मानक ब्यूरो
Bureau of Indian Standards
The National Standards Body of India

Dehradun Branch Office- UCF Sadan,
Address: Block-D, Ground Floor, Deep Nagar
Road, Vishnu Vihar, Dehradun,
Uttarakhand-248001
Phone: 0135-2665129, 2665272
Fax: 01352665272
E-Mail: dhbo@bis.gov.in
Web: www.bis.org.in, www.manakonline.in

Our Ref : DHBO/CM/L 8300132712

Date: 16 AUG 2019

Subject: Grant of BIS Certification Marks Licence No. 8300132712 as per IS 1554 : PART 1 : 1988.

M/s. Quanta Cables.,
Plot No. A-194 K, ELDECO SIDCUL, Industrial Park,
Phase-1, Near Police Chowki, Sitarganj,
Distt: Udham Singh Nagar,
Uttarakhand- 262405

Dear Madams(s)/Sir,

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

PVC insulated (heavy duty) electric cables: Part 1 For working voltages upto and including 1100 V

Product:-

Grade/Class/Type/Variety

Unarmoured, with Aluminium Conductors, Class 1/2, Insulation Type A, Sheath Type ST1, Category 01, Except for use in Mines, Including low temperature applications, single core for sizes upto and including 120 mm ² , for working voltages upto and including 1100 V

1. The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.

2. The number assigned to this licence is CM/L- 8300132712 which has been made operative from 14-08-2019 and is valid upto 13-08-2020. The licence number should invariably be referred to in your future correspondence.

According to sub-regulation (1) & (3) of Paragraph 5 of scheme I of Schedule II under Bureau of Indian Standards (Conformity of Assessment) Regulation, 2018, the annual licence fee of Rs. 1000.00 and the marking fee for use of standard mark as per Annexure-I of Scheme I of BIS (Conformity assessment) Regulation 2018 is payable by you with effect from 14-08-2019 for the period of validity of the licence licence in advance.

3. Minimum marking fee stipulated in Annexure -I of scheme I of BIS (Conformity Assessment) Regulation 2018 is payable by you regardless of the whether you actually mark your product or not with the Standard Mark. **Our Receipt No. 0083PC2019000542** dated 14-08-2019 for the licence fee and the minimum marking fee for the first operative period is already issued.

4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.

5. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

6. The Scheme of Inspection and Testing submitted by you and agreed by BIS or the Scheme of Inspection and Testing as specified by BIS will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.


7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.

9. This licence is granted for your factory situated at "Plot No. A-194 K, ELDECO SIDCUL, Industrial Park, Phase-1, Near Police Chowki, Sitarganj, Distt: Udham Singh Nagar, Uttarakhand- 262405". Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

10. The licence document in original is enclosed.

Thanking You,



(Anilsh M David)
SCIENTIST-F & HEAD

अनुबंध -II

[योजना-1 का अनुच्छेद 6 का उप-अनुच्छेद (1) देखें]

मानक मुहर

मानक मुहर हेतु मोनोग्राम का डिजाइट



आकृति 1 मानक चिह्न हेतु मोनोग्राम

मानक चिह्न के मोनोग्राम के चित्रात्मक निरूपण में आकृति 1 में दर्शाई गई शैली में सटीक आरेखण और तालिका 1 में दिया गया सापेक्ष अनुपात

तालिका 1 मोनोग्राम के अधिमानित आयाम
सभी आयाम मिलीमीटर में

A	B	a	R	r	अक्षरों के आकार
2.5	1.9	0.2	0.4	-	1.0 मि.मि.
5	3.8	0.4	0.8	0.1	1.0 मि.मि.
10	7.5	0.7	1.7	0.2	2.0 मि.मि.
20	15	1.5	3.3	0.5	3.0 मि.मि.
40	30	2.9	6.7	1.0	4.0 मि.मि.
80	60	5.9	13.4	1.9	6.0 मि.मि.
160	120	11.7	26.7	3.8	10.0 मि.मि.
320	240	23.4	53.4	7.6	16.0 मि.मि.

Annexure
(Licence No.CM/L- 8300132712)

Conditions of the licence

- (1) The design of Standard Mark shall be identical to the facsimile given in the licence.
- (2) The photographic enlargement or reduction of the Standard Mark may also be used, unless otherwise specified by the Bureau.
- (3) The licensee shall be responsible for the conformity of the goods, article, process, system or service to the Indian Standard in relation to which Standard Mark is used or applied.
- (4) The licensee shall not use the Standard Mark in relation to goods, articles, process, system or service which are non-conforming or outside the scope of the licence.
- (5) If goods and articles in relation to which a Standard Mark has been used do not conform to the requirements of the relevant standard, the Bureau may direct the licensee or his representative to recall such non-conforming goods.
- (6) The Standard Mark shall not be used or applied in relation to any goods, article, process, system or service during deferment or suspension, or, after expiry or cancellation of the licence.
- (7) The licensee shall comply with the provisions of the conformity assessment scheme under which licence is granted, including labelling and marking requirements.
- (8) The licensee shall maintain records as specified by the Bureau from time to time.
- (9) The licensee shall provide the Bureau all assistance in connection with carrying out inspection or audit at its premises.
- (10) The licensee shall provide information relating to production and use or applying of Standard Mark as and when it is required by the Bureau.
- (11) If the licence is granted to use or apply Standard Mark on goods or articles, the licensee shall provide the list of consignees, distributors, dealers or retailers to whom goods or articles with Standard Mark is supplied.
- (12) The licence shall not be transferred to any person without approval of the Bureau.
- (13) If a complaint regarding quality of any goods, article, process, system or service bearing Standard Mark is established, the Bureau may direct the licensee or his representative to repair or replace or reprocess the standard marked goods and articles.
- (14) The Bureau shall have the right to amend any of the conditions of licence by giving a notice of not less than one month to the licensee.

भारतीय मानक ब्यूरो
Bureau of Indian Standards
मानक चिन्ह के उपयोग के लिए अनुज्ञप्ति
Licence for the use of Standard Mark

लाइसेंस सं. सीएम/एल – 8300132712

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मैसर्स. क्वांटा केबल्स.,
प्लॉट न. A-194 K, एल्डेको सिडकुल, इंडस्ट्रियल पार्क,
फेज़-1, पुलिस चौकी के पास, सितारगंज,
जिला- उधम सिंह नगर,
उत्तराखंड- 262405

को (जिसे इसमें आगे अनुज्ञप्तिधारी कहा गया है) इसकी प्रथम अनुसूची के पहले कालम में दिखाए गए मानक चिन्ह का उपयोग करने को अनुज्ञप्ति (लाइसेंस) प्रदान करता है। इस मानक चिन्ह का उपयोग ऐसी वस्तु पर/प्रसंस्करण के संबंध में किया जाएगा जिसका उल्लेख इसकी उक्त अनुसूची के तीसरे कॉलम में किया गया है। यह वस्तु/प्रसंस्करण उक्त अनुसूची के दूसरे कालम में उल्लिखित समय समय पर संबंधित भारतीय मानक के अनुसार विनिर्मित होगी/के अनुरूप होगा।

Licence No. CM/L – 8300132712

By virtue of the power conferred on it by the Bureau of Indian Standards Act, 2016 (11 of 2016) the Bureau hereby grants to

M/s. Quanta Cables.,
Plot No. A-194 K, ELDECO SIDCUL, Industrial Park,
Phase-1, Near Police Chowki, Sitarganj,
Distt: Udham Singh Nagar,
Uttarakhand- 262405

(hereinafter called the Licensee) this licence to use the Standard Mark set out in the first column of the Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबंध अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी है। यह अनुज्ञप्ति पहली अनुसूची में यथा- उल्लिखित नाम, कारखाने के पते और अवधि के लिए विधिमान्य होगा और इसमें स्कीम-1 में निर्दिष्टानुसार नवीकृत कराया जा सकता है।


2. This Licence carries obligations on part of the licensee as conditions of licence which are given in Annexure attached herewith. This licence shall be valid for the name, factory address and period as mentioned in the schedule and may be renewed as specified in the scheme-I.

अनुसूची
(लाइसेंस सं. सीएम/एल - 8300132712)

Schedule
(Licence No. CM/L- 8300132712)


नाम: मैसर्स. क्वांटा केबल्स
कारखाने का पता: सी- प्लॉट न. A-194 K, एल्डेको सिडकुल, इंडस्ट्रियल पार्क, फेज़-1, पुलिस चौकी के पास, सितारगंज, जिला- उधम
सिन्हा नगर, उत्तराखंड- 262405
वैधता: 14/08/2019 से 13/08/2020

Name: M/s. Quanta Cables
Factory Address: Plot No. A-194 K, ELDECO SIDCUL, Industrial Park, Phase-1, Near Police Chowki, Sitarganj, Distt:
Udham Singh Nagar, Uttarakhand- 262405
Validity from 14/08/2019 से 13/08/2020

मानक चिन्ह Standard Mark	भारतीय मानक Indian Standard	अनुज्ञप्ति का विषय क्षेत्र Scope of Licence	चिन्हांकन फीस Marking Fee
(1)	(2)	(3)	(4)
IS 1554 : PART 1  L- 8300132712	IS 1554 : PART 1 : 1988 PVC insulated (heavy duty) electric cables: Part 1 For working voltages upto and including 1 100 V	Unarmoured, with Aluminium Conductors, Class 1/2, Insulation Type A, Sheath Type ST1, Category 01, Except for use in Mines, Including low temperature applications, single core for sizes upto and including 120 mm ² , for working voltages upto and including 1100 V	एक वर्ष की प्रचालन अवधि के दौरान न्यूनतम मुहरांकन फीस ₹ 148000.00 के साथ सभी इकाईयों के लिए ₹ 18.00 प्रति इकाई इकाई: 100 METER ₹ 18.00 per unit for all units with a Minimum Marking Fee of ₹ 148000.00 during an operative period of one year Unit: 100 METER एक प्रचालन वर्ष के लिए न्यूनतम चिह्नांकन शुल्क अग्रिम में देय होगी जो अगले नवीकरण में अग्रणीत होगी। Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s)

आज वर्ष 2019 के अगस्त माह की तारीख 16th को हस्ताक्षरित, मुहरबंद किया गया।
Signed, Sealed and Dated this on 16th August 2019.

भारतीय मानक ब्यूरो के लिए
For Bureau of Indian Standards


अनिलेश. एम. डेविड
प्रमुख (देहरादून शाखा कार्यालय)